


# HERADESIGN® Creative effect







HERADESIGN® Creative effect is a single layer magnesite bonded wood wool acoustic ceiling and wall panel.

- Flexible and innovative design solution with up to 18 patterns to choose from
- Available with a HERADESIGN® Superfine, Micro or Plano surface
- Excellent sound absorption performance with HERADESIGN® Superfine

knaufceilingsolutions.com

## **HERADESIGN®** Creative effect




	HERADESIGN® S	uperfine	HERADESIGN®	Micro	HERAD	ESIGN® Plano
Surface						
Edge details						
Thickness	25mm					
Dimensions	1200 x 600mm					
System	Screw-fix on wooden battens - System B2.1 Screw-fix on CD channels - System B2.2					
Weight	12.6 - 15.0 kg/m <sup>2</sup>					
Fire reaction	Euroclass B-s 1,d0 as per EN 13501-1					
Sound absorption	HERADESIGN® Superfine: $\alpha_{_{w}}$ up to 1.00 / NRC up to 1.00 HERADESIGN® Micro: $\alpha_{_{w}}$ up to 0.60 / NRC up to 0.60					
Thermal conductivity	HERADESIGN® Superfine: $\lambda$ = 0.09 W/mK as per EN 12667 HERADESIGN® Micro, Plano: $\lambda$ = 0.10 W/mK as per EN 12667					
Humidity resistance	Suitable for rooms with a constant humidity of up to 90%. For applications where there is a constant relative air humidity in excess of 80%, expert advice for building physics is recommended.					
Cleanability						
Sustainability	WWW.blauer-engel.de/u/132					
Areas of application	A decorative and acoustically effective suspended ceiling and wall panel for use in interior spaces.					
Installation	The installation of HERADESIGN® acoustic panels should take place during the last phase of the job, and in temperature and humidity controlled conditions. All building activities which create dust must be completed before the start of installation. Store the panels flat and protect against moisture and dirt. The packaging does not protect the products against rain. HERADESIGN® products should be installed in strict accordance with Knauf Ceiling Solutions installation and storage guidelines.					
Special information	<ul> <li>Manufacturing tolerances in nominal dimensions: L4, W2, T2: ± 1 mm, for lengths &gt; 1250mm L4: ± 2mm</li> <li>Maximum changes in dimension in standard climate 23°C/50% relative humidity: ± 1%.</li> </ul>					
Colours	<b>White</b> similar to RAL 9010	<b>Beige</b> Natural tone 1:	Pastel colou	ırs So	lid colours	Special colours
	•	•	•		•	•
	<ul> <li>The unique and natural structure of HERADESIGN® wood wool makes it an ideal solution for projects requiring creative colour schemes. Choose from an almost unlimited range of popular RAL and NCS colour systems.</li> <li>Deviations in colour and visual appearance may occur due to the rough fibre and panel surface.</li> <li>The colour application in the milled cut-outs may differ from the colour application on the surface of the panel.</li> </ul>					

## **HERADESIGN®** Creative effect




#### **PRODUCT RANGE**



## **HERADESIGN®** Creative effect



#### PRODUCT APPLICATION



Products may vary from country to country. Please contact your local sales representative. For further information and legal notice, please visit our website.